## CERTIFICATE OF ANALYSIS

**Customer:** 

Cake Distro.

1007 West Grove Avenue

Orange, CA 92865

D10-BC-OR / Birthday Cake

Sample ID: **Laboratory Number: ATL-3807** 



Report Issue Date 12/31/2021

Extraction Technician: HP Analytical Chemist: HP

Hernan Prieto

Sample Description/Size:

D10 Disposable Device / 1.5g

## CANNABINOID **PROFILE**



Order Date 12/30/2021

80

60

40

Analysis Date 12/30/2021

100

Can	nahir	noids	(HP	
Vall	HUDII	10103	6	

Cannabidiolic Acid (CBD-A)

Cannabinoids (HPLC)		Resu	lts \	C	annab	inoi	d (%)
Test	LOD (%)	mg/disposable	%	0	X	20	
Cannabidivarin (CBDV)	<0.05	0	0				

0

< 0.04 0 0 Cannabigerolic Acid (CBG-A) < 0.05 0 0 Cannabigerol (CBG) Cannabidiol (CBD) < 0.05 0 0

< 0.04

Cannabinol (CBN) < 0.05 0 0 Ó Delta 9-Tetrahydrocannabinol (THC) < 0.05 0

< 0.05 1171.92 Delta 8-Tetrahydrocannabinol 78.13 12.14 < 0.05 182.07 Delta 10-Tetrahydrocannabinol (THC) 0 < 0.05 n Cannabichromene(CBC)

Delta-9-Tetrahydrocannabinolic Acid (THC-A) < 0.04 0 0

## **Cannabinoids Total**

/ / /		//		tx \		Χ /	X	1/		1 / 1	, ,		
Test	-///		mg/disposable	%	0		20		40	60		80	100
Max Active THC	H		0	0	V			\			1		
Max Active CBD	7/ /	VII.	0	0	$\bigwedge$	$\wedge$							
T.Active Cannabinoids			1353.99	90.27	Ш			ШИ	HIIIIH	MAMIN	11111		
Total Cannabinoids			1353.99	90.27	VIIII	ШШШ	ШЖП	HIII	ЩШШ	HIMMIH	HIII		

Analysis Method: ATL-PLC-001

Following USDA guidelines on uncertainty, Accurate Test Lab is uncertainty are calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.6-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D = Not Detected



Tel: (954) 515-0200