CERTIFICATE OF ANALYSIS

Customer:

Cake Distro.

1007 West Grove Avenue

Orange, CA 92865

D10-PEX-OR / Pineapple Express

Sample ID: Laboratory Number: ATL-3804



Report Issue Date 12/31/2021

Extraction Technician: HP Analytical Chemist: HP

Hernan Prieto

80

Sample Description/Size:

D10 Disposable Device / 1.5g

CANNABINOID **PROFILE**



Order Date 12/30/2021

60

40

Analysis Date 12/30/2021

100

Cannabinoids (HPL)	4)	
--------------------	----	--

Cannabidiolic Acid (CBD-A)

Cannabinoids (HPLC)		Resu	Its	Ca	nnab	inoi	d (%)
Test	LOD (%)	mg/disposable	%	0		20	
Cannabidivarin (CBDV)	<0.05	0	0				

0

< 0.04 0 0 Cannabigerolic Acid (CBG-A) < 0.05 0 0 Cannabigerol (CBG) Cannabidiol (CBD) < 0.05 0 0

< 0.04

Cannabinol (CBN) < 0.05 0 0 < 0.05 Ó Delta 9-Tetrahydrocannabinol (THC) 0

< 0.05 1186.08 Delta 8-Tetrahydrocannabinol 79.07 < 0.05 183.0 12.20 Delta 10-Tetrahydrocannabinol (THC) 0 < 0.05 n Cannabichromene(CBC)

Delta-9-Tetrahydrocannabinolic Acid (THC-A) < 0.04 0 0

Cannabinoids Total

					Χ /	X	//					
Test		mg/disposable	%	0		20		40	E	0	80	100
Max Active THC		0	0	V						1		
Max Active CBD		0 //	0	\bigwedge	\wedge							
T.Active Cannabi	noids	1369.08	91.27	HH			ЩШ	HIIIIH	ЩИШ			
Total Cannabinoi	ds	1369.08	91.27	VIIII	ШШШ	ЩЩ	ШШ	ЩШШ	ШШ	ЩЩ		

Analysis Method: ATL-PLC-001

Following USDA guidelines on uncertainty, Accurate Test Lab is uncertainty are calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.6-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

> Tel: (954) 515-0200 info@AccurateTestLab.com

N/D = Not Detected